

FIG. 1

4 TUNER

5 DEMODULATOR

6 TS DECODER

7 AUDIO DECODER

8 VIDEO DECODER

9 PRESENTATION PROCESSOR

25 MODEM

Fig. 2






Fig. 3



~~図4~~ Fig. 4



~~図5~~ Fig. 5




Fig. 6




図6

FIG. 6

a0 START PROGRAM SEARCH

a1 SET BROADCAST WAVE FREQUENCY RECEIVED IN TUNER SECTION

a2 WITH REGARD TO ONE SERVICE OF TS IN RECEIVED BROADCAST WAVE,
ACQUIRE GENRE INFORMATION FROM DATA OF SI, PSI, ETC

a3 DOES USER-SPECIFIED GENRE EXIST IN ACQUIRED GENRE
INFORMATION?

a4 PRESENT SERVICE FOR GIVEN TIME

a5 DOES TS CONTAIN ANY OTHER SERVICE?

a6 DOES FREQUENCY NOT YET RECEIVED EXIST?

a7 CHANGE FREQUENCY SET IN TUNER SECTION

a8 TERMINATE PROGRAM SEARCH

【図 7】




FIG. 7

b0 START PROGRAM SEARCH

b1 SET BROADCAST WAVE FREQUENCY RECEIVED IN TUNER SECTION

b2 WITH REGARD TO ONE SERVICE OF TS IN RECEIVED BROADCAST WAVE,
ACQUIRE VARIOUS PIECES OF INFORMATION FROM DATA OF SI, PSI,
ETC

b3 DOES ACQUIRED INFORMATION MATCH USER-SPECIFIED CONDITION?

b4 PRESENT SERVICE

b5 WAIT FOR TIME-OUT, SEARCH TEMPORARY STOP OR SEARCH QUIT
REQUEST

b6 WAIT FOR SEARCH TEMPORARY STOP CANCEL OR SEARCH QUIT REQUEST


b7 DOES TS CONTAIN ANY OTHER SERVICE?

b8 DOES FREQUENCY NOT YET RECEIVED EXIST?

b9 CHANGE FREQUENCY SET IN TUNER SECTION

b10 TERMINATE PROGRAM SEARCH

~~【圖 8】~~



on-search screen

temporarily

stop search

~~以一時停止~~

restart

Search

~~サ一再開~~

on-presenting-service
screen

restart.

search

下學大志

stop

Temporarily
Stop Search

Stop Search

stop

一

立刻停止

一块中国面

